



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com
Lic# 2026-R-217916€

Certificate of Analysis

1 of 2



SS-31 30mg
2609AFL1736.5911 | ATL-39641

PHOTO



SAMPLE INFO

Lot #		Matrix	Peptide
Client	Eon Peptides	Type	Vial (Injectable)
Received	09/22/2026	Storage Cond.	Room Temperature (20°C to 25°C)
Reported	09/29/2026	Intended Use	Research Use Only
Appearance	White powder	Labeled Content	30

SUMMARY


99.63%
Purity

Pass
Endotoxins

Pass
Metals

Confirmed
Identity

CHROMATOGRAM



PEPTIDES

Complete

Date Tested: 09/23/2026

Compound	mg/unit	Status
MTP 131	25.34	Tested
Total	25.34	

COA-12 Peptides Rev. 2


Lise Berthe-Laurent - Laboratory
Director 09/29/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
<http://accuratetestlab.com>
Lic# 2026-R-217916€

Certificate of Analysis

2 of 2

METALS

Pass

Date Tested: 09/25/2026

Compound	LOQ	Limit	PPB	Status
Arsenic	49.6	1500.0	ND	Pass
Cadmium	49.6	500.0	ND	Pass
Lead	49.6	500.0	ND	Pass
Mercury	49.6	3000.0	ND	Pass
Total			0.0	

ENDOTOXINS

Pass

Date Tested: 09/26/2026

Compound	Limit	EU/mg	Status
Endotoxin	11.00	0.71	

Lise Berthe-Laurent - Laboratory
Director

09/29/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.